



LONGSECTION 18M ROAD 2
FROM 0.000 TO 788.936

NOTES

GENERAL

- All construction and erection done on site should conform to the laid standards of construction
- The Engineer and/or client reserves the right to instruct the contractor to correct defective work(s)
- This drawing is to be read in conjunction with all reference drawings

ROAD WORKS

- Density tests to be done on each base constructed
- Road formation level to be constructed on approved sub-grade material and road slopes to be formed at that stage

MATERIAL SURFACING

Premix: To SABS 1200 continuous graded bitumen asphalt or similar approved.
Mix to be approved by the Engineer.

Surface Treatment: Double Seal of 13.2 and 6.7mm stone aggregate with 150/200 per bitumen emulsion fog spray.

Block Paving:

Roads: Heavy duty 80mm thick interlocking blocks grey colour laid on herringbone pattern to SABS 1200 specified or similar approved.

Footway: Light duty 60mm thick interlocking blocks grey colour laid on herringbone pattern to SABS 1200 specified or similar approved

REFERENCE DRAWINGS

Drg No.	Title
S.G/A1040/C/P/D001	POTABLE WATER RETICULATION
S.G/A1040/C/S/D001	SEWER RETICULATION

KEY

DATE	DRWN	REV BY	CHKD	APPD	ISSUE

SG MUSONI Consulting Engineers

No 1 Vancouver Rd
Braeside, Harare
Cell:0775004369
email:stmuta@aol.com
Website:sgmusoni.com

Zimbabwe Association of Engineers

No 1 Congonara House
26 Samora Machel Avenue Eastlea PO Box
160 8th Highlands Harare
Zimbabwe Telephone/Fax
(263 4) 746010 e-mail:
zae@zsemail.com
Belvedere, Harare

Suite Y103 - Y106
National Sports Stadium,
Box 24 - 27
Samora Machel Avenue,
Belvedere
P. O. Box 660
Harare

THIS DRAWING IS ISSUED BY SG MUSONI, SUBJECT TO THE CONDITIONS THAT IT IS NOT COME EITHER IN WHOLE OR IN PART OR DISCLOSED TO THIRD PARTIES UNLESS PRIOR WRITTEN AUTHORISATION IS GIVEN BY SG MUSONI.

PREVIOUS VERSIONS OF THIS DRAWING SHOULD BE STAMPED SUPERSEDED OR DESTROYED. DO NOT SCALE THIS DRAWING - IF IN DOUBT ASK

PROJECT TITLE

DESIGN OF CIVIL INFRASTRUCTURE FOR STRATHMORE HOUSING DEVELOPMENT

DRAWING TITLE

18M ROAD 2, PLAN & LONGITUDINAL SECTION (SHEET 1 OF 1)

CLIENT

homelink (PVT) LTD
Hardwicke House, 72-74
Samora Machel Ave, P.O.
Box 628, Causeway,
HARARE, ZIMBABWE

SCALE	MASTER SIZE
1:1000	A0

CLIENT DRAWING No.	REV
S.G/A1040/C/R/D002	A1