

## GENERAL

- ## ROAD WORKS

- ## MATERIAL SURFACING


**Surface Treatment:** Double Seal of 13.2 and 6.7mm stone aggregate with 150/200 per bitumen emulsion fog spray.

Footway: Light duty 60mm thick interlocking blocks  
grey colour laid on herringbone  
pattern to SABS 1200 specified  
or similar approved

## REFERENCE DRAWINGS

## KEY

 1 Vancouver Rd  
Braeside, Harare  
Cell: 0775 004369  
email: stmuta@aol.com  
Website: sgmusoni.com



PREVIOUS VERSIONS OF THIS DRAWING SHOULD BE STAMPED SUPERSEDED OR DESTROYED  
DO NOT SCALE THIS DRAWING - IF IN DOUBT ASK

PROJECT TITLE \_\_\_\_\_

PROJECT TITLE


DESIGN OF CIVIL INFRASTRUCTURE  
FOR STRATHMORE HOUSING  
DEVELOPMENT

DRAWING TITLE  
18M ROAD 1, PLAN & LONGITUDINAL  
SECTION (SHEET 4 OF 5 )

**CLIENT**


 **HOMELINK (PVT) LTD**  
Hardwicke House, 72-74  
Samora Machel Ave, P.O.  
Box 628, Causeway,  
HARARE, ZIMBABWE

SCALE 1:1000	MASTER SIZE A0
JENT DRAWING No. S.G/A1040/C/R/D001	REV A1



DATUM 1405.000

VERTICAL PROFILE GRADES	
FINAL DESIGN ROAD LEVELS	LEFT EDGE (HL)
	CENTRE LINE (CL)
	RIGHT EDGE (HR)
GROUND LEVELS ON CL	
SUPERELEVATION	<div> <div>LEFT</div> <div>RIGHT</div> <div> <div>.....</div> <div>— —</div> </div> </div>
HORIZONTAL ALIGNMENT	
DISTANCE (km)	
DRAINAGE	<div>Distance (km)</div> <div>Size and Angle</div>



LONGSECTION 18M ROAD 1  
FROM 2622.611 TO 3496.815