



NOTES

GENERAL

1. All construction and erection done on site should conform to the laid standards of construction
2. The Engineer and/or client reserves the right to instruct the contractor to correct defective work(s)
3. This drawing is to be read in conjunction with all reference drawings

ROAD WORKS

1. Density tests to be done on each base constructed
2. Road formation level to be constructed on approved sub-grade material and road slopes to be formed at that stage

MATERIAL SURFACING

Premix: To SABS 1200 continuous graded bitumen asphalt or similar approved.  
Mix to be approved by the Engineer.

Surface Treatment: Double Seal of 13.2 and 6.7mm stone aggregate with 150/200 per bitumen emulsion fog spray.

Block Paving: Heavy duty 80mm thick interlocking blocks grey colour laid on herringbone pattern to SABS 1200 specified or similar approved.

Footway: Light duty 60mm thick interlocking blocks grey colour laid on herringbone pattern to SABS 1200 specified or similar approved

REFERENCE DRAWINGS

Drg No.	Title
S.G/A1040/C/P/D001	POTABLE WATER RETICULATION
S.G/A1040/C/S/D001	SEWER RETICULATION

KEY

DATE	DRWN	REV BY	CHKD	APPD	ISSUE



1 Vancouver Rd  
Braeside, Harare  
Cell:0775004369  
email:stmuta@aol.com  
Website:sgmusoni.com



ZIMBABWE  
ASSOCIATION  
OF  
PROFESSIONAL  
ENGINEERS



EQZ

No. 1 Conqueror House  
299 Samora Machel  
Avenue Eastlea PO Box  
162 Rye Highlands Harare  
Zimbabwe Telephone/Fax  
(06) 41 76101 e-mail:  
zape@zape.co.zw  
Bebedere, Harare

Suite Y103 - Y106  
National Sports Stadium  
Box 24 - 27  
Samora Machel Avenue,  
Bebedere  
P. O. Box 660  
Harare

THIS DRAWING IS ISSUED BY SG MUSONI, SUBJECT TO THE CONDITIONS THAT IT IS NOT COPY EITHER IN WHOLE OR IN PART OR DISCLOSED TO THIRD PARTIES UNLESS PRIOR WRITTEN AUTHORISATION IS GIVEN BY SG MUSONI.

PREVIOUS VERSIONS OF THIS DRAWING SHOULD BE STAMPED SUPERSEDED OR DESTROYED. DO NOT SCALE THIS DRAWING - IF IN DOUBT ASK

PROJECT TITLE

DESIGN OF CIVIL INFRASTRUCTURE  
FOR STRATHMORE HOUSING  
DEVELOPMENT

DRAWING TITLE

ROADS LAYOUT (SHEET 4 OF 4 )

CLIENT



homelink (PVT) LTD  
Kusasa Chikupa

HOMELINK (PVT) LTD  
Hardwicke House, 72-74  
Samora Machel Ave, P.O.  
Box 628, Causeway,  
HARARE, ZIMBABWE

SCALE

1:1000

CLIENT DRAWING No.

S.G/A1040/C/R/D001

MASTER SIZE

A0

REV

A1